Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

*

1 Identification

TRADE NAME: FLEET MASTER

PRODUCT# 075

Manufacturer

Company name	Pioneer Research Corporation		
Address	3110 N. 19th Ave Phoenix, AZ 85015		
Telephone	(602) 230-0012		
Website	www.pioneerresearchcorporation.com		
E-mail	mail@pioneerresearchcorporation.com	pioneersmail@yahoo.com	
Contact person	EHS Department		
Emergency phone number	Chemtel	800-255-3924	
	International	T01-813-248-0585	

2 Hazard(s) identification

· ***Classification of the substance or mixture***

GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

· ***Label elements***

· ***GHS label elements***

The product is classified and labeled according to the Globally Harmonized System (GHS).

· ***Hazard pictograms***

GHS05

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***

Alcohol C9-11

· ***Hazard statements***

Causes skin irritation.

Causes serious eye damage.

· ***Precautionary statements***

Wear protective gloves.

Wear eye protection / face protection.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
If skin irritation occurs: Get medical advice/attention.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.

· ***Unknown acute toxicity:***
96.5 percent of the mixture consists of ingredient(s) of unknown toxicity.

· ***Classification system:***

· ***NFPA ratings (scale 0 - 4)***

Health = 2
Fire = 0
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***

Health = 2
Fire = 0
Reactivity = 0

· ***Other hazards*** None known

*
3 Composition/information on ingredients

CAS: 7732-18-5 RTECS: ZC 0110000	Water, de-ionized	70-90%

· ***Description:*** Mixture of substances listed below with nonhazardous additions.

· ***Dangerous Components:***

68439-46-3	Alcohol C9-11 Eye Dam. 1, H318; Skin Irrit. 2, H315	5-10%
7320-34-5	Tetrapotassium Pyrophosphate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%
6381-92-6	EDTA, Disodium, Dihydrate Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%

4 First-aid measures

· ***Description of first aid measures***
· ***After inhalation:***
Not expected as a result of exposure to finished product.
In case of unconsciousness, place patient securely on side position for transportation.
· ***After skin contact:***
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· ***After eye contact:*** Rinse opened eye for several minutes under running water. Then consult a doctor.
· ***After swallowing:*** If swallowed and symptoms occur, consult a doctor.
· ***Information for doctor:***
· ***Most important symptoms and effects, both acute and delayed*** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

· ***Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

*
5 Fire-fighting measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:***
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· ***Special hazards arising from the substance or mixture***
If incinerated, product will release the following toxic fumes: Oxides of Carbon, Nitrogen (NOx), Phosphorous, Potassium, Silicon, Sodium and Sulfur.
· ***Advice for firefighters***
· ***Protective equipment:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures***
Avoid contact with skin, eyes and clothing.
· ***Environmental precautions:*** Do not allow to enter sewers/ surface or ground water.
· ***Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.
· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
7 Handling and storage

· ***Handling:***
· ***Precautions for safe handling*** No special precautions are necessary if used correctly.
· ***Information about protection against explosions and fires:*** No special measures required.

· ***Conditions for safe storage, including any incompatibilities***
Store away from strong acids, strong bases, strong oxidizing agents and galvanized surfaces.
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:*** No special requirements.
· ***Information about storage in one common storage facility:*** Not required.
· ***Further information about storage conditions:*** None.
· ***Specific end use(s)*** No further relevant information available.

8 Exposure controls/personal protection

· ***Additional information about design of technical systems:*** No further data; see section 7.

· ***Control parameters***
All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.
· ***Components with occupational exposure limits:***
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· ***Additional information:*** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

· ***Exposure controls***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
· ***Breathing equipment:*** Not required.
· ***Protection of hands:***

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Select glove material based on penetration times, rates of diffusion and degradation.
· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material***
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
· ***Eye protection:***

Tightly sealed goggles

· ***Body protection:***

Protective work clothing

* 9 Physical and chemical properties

· ***Information on basic physical and chemical properties***
· ***General Information***
· ***Appearance:***

Form:	Liquid
Color:	Clear, colorless
· ***Odor:***	Mild
· ***Odor threshold:***	Not determined.
· ***pH-value @ 20 °C (68 °F):***	9.1
· ***Change in condition***	
Melting point/Melting range:	Not determined.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

Boiling point/Boiling range:	100 °C (212 °F)
· ***Flash point:***	Not applicable.
· ***Flammability (solid, gaseous):***	Not applicable.
· ***Ignition temperature:***	
Decomposition temperature:	Not determined.
· ***Auto igniting:***	Product is not self-igniting.
· ***Danger of explosion:***	Product does not present an explosion hazard.
· ***Explosion limits:***	
Lower:	0.0 Vol %
Upper:	0.0 Vol %
· ***Vapor pressure @ 20 °C (68 °F):***	23 hPa (17 mm Hg)
· ***Density @ 20 °C (68 °F):***	1.045 g/cm³ (8.721 lbs/gal)
· ***Relative density***	Not determined.
· ***Vapor density***	Not determined.
· ***Evaporation rate***	Not determined.
· ***Solubility in / Miscibility with***	
Water:	Not miscible or difficult to mix.
· ***Partition coefficient (n-octanol/water):***	Not determined.
· ***Viscosity:***	
Dynamic:	Not determined.
Kinematic:	Not determined.
· ***Solvent content:***	
Organic solvents:	0.0 %
Water:	77.3 %
Solids content:	3.5 %
· ***Other information***	No further relevant information available.

10 Stability and reactivity

· ***Reactivity*** No further relevant information available.
· ***Chemical stability*** Stable under normal conditions.
· ***Thermal decomposition / conditions to be avoided:*** No decomposition if used according to specifications.
· ***Possibility of hazardous reactions*** No dangerous reactions known.
· ***Conditions to avoid*** No further relevant information available.
· ***Incompatible materials:*** Strong acids, strong bases, strong oxidizing agents and galvanized surfaces.
· ***Hazardous decomposition products:***
Oxides of Carbon, Nitrogen (NOx), Phosphorous, Potassium, Silicon, Sodium and Sulfur.

11 Toxicological information

· ***Information on toxicological effects***
· ***Acute toxicity:***

· ***LD/LC50 values that are relevant for classification:***		
7320-34-5 Tetrapotassium Pyrophosphate		
Oral	LD50	>2000 mg/kg (mouse)

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

Dermal	LD50	>4640 mg/kg (rabbit)

· ***Primary irritant effect:***
· ***on the skin:*** Irritant to skin and mucous membranes.
· ***on the eye:***
Strong irritant with the danger of severe eye injury.
Causes serious eye irritation.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· ***Carcinogenic categories***
· ***IARC (International Agency for Research on Cancer)***
None of the ingredients are listed.

Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

· ***NTP (National Toxicology Program)***
None of the ingredients are listed.

· ***OSHA-Ca (Occupational Safety & Health Administration)***
None of the ingredients are listed.

* 12 Ecological information

· ***Toxicity*** The hazards for the aquatic environment are unknown.
· ***Aquatic toxicity:*** No further relevant information available.
· ***Persistence and degradability*** No further relevant information available.
· ***Behavior in environmental systems:***
· ***Bioaccumulative potential*** No further relevant information available.
· ***Mobility in soil*** No further relevant information available.
· ***Additional ecological information:***
· ***General notes:*** Not known to be hazardous to water.
· ***Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable.
· ***vPvB:*** Not applicable.
· ***Other adverse effects*** No further relevant information available.

* 13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation:***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· ***Uncleaned packagings:***
· ***Recommendation:***
Dispose of as unused product.
Disposal must be made according to official regulations.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

* 14 Transport information

· **UN-Number**
· **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
· **UN proper shipping name**
· **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**
· **Class** Non-Regulated Material
· **Packing group**
· **DOT, ADR, IMDG, IATA** Non-Regulated Material
· **Environmental hazards:** Not applicable.
· **Special precautions for user** Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
· **UN "Model Regulation":** -

* 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

68439-46-3	Alcohol C9-11
7320-34-5	Tetrapotassium Pyrophosphate
7732-18-5	Water, de-ionized

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**
None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**
None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients are listed.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 Reviewed on 04/03/2015

TRADE NAME: FLEET MASTER

· ***GHS label elements***
The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms***

GHS05

· ***Signal word*** Danger

· ***Hazard-determining components of labeling:***
Alcohol C9-11
· ***Hazard statements***
Causes skin irritation.
Causes serious eye damage.
· ***Precautionary statements***
Wear protective gloves.
Wear eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
If skin irritation occurs: Get medical advice/attention.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.

· ***National regulations:***

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· ***State Right to Know***

CAS: 7732-18-5 RTECS: ZC 0110000	Water, de-ionized	70-90%
CAS: 68439-46-3	Alcohol C9-11 Eye Dam. 1, H318; Skin Irrit. 2, H315	5-10%
CAS: 7320-34-5	Tetrapotassium Pyrophosphate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%
CAS: 6381-92-6	EDTA, Disodium, Dihydrate Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%

All ingredients are listed.

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***Date of preparation / last revision*** 04/06/2015 / -
· ***Abbreviations and acronyms:***
ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Printing date 04/06/2015 *Reviewed on 04/03/2015*

TRADE NAME: FLEET MASTER

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· **** Data compared to the previous version altered.***

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106